



## 2011 Resurfacing Program

Road Name	From	To	Mileage
Blackstone Place	Paxton rd.	Dead end	0.113
Branch Hill - Guinea Rd. (Full Dpth Rpr)	SR 28	Little Miami River	0.000
Charity St	Bethel Corp Line	SR 133	0.200
Cook Rd (Full Dpth Rpr)	Buss. 28	Branch Hill - Guinea Rd.	0.000
Deerfield Rd	SR 28	SR 131	3.230
Dela Palma Rd	Old SR 32	Brown Co. Line	2.315
Fulton Grove Rd	SR 125	Dead End	1.290
Goshen Rd (Full Dpth Rpr)	SR 28	SR 131	0.000
Hunt Rd	SR 131	Marathon Edenton Rd	1.720
Jackson Pike	SR 132	SR 133	5.180
Jett Hill Rd	12 Mile Rd	Bethel New Richmond Rd	1.580
Mt. Olive Pt. Isabel Rd	SR 222	SR 133	2.230
Neville Penn Schoolhouse Rd	Chilo Cemetery McKendree Chapel Rd	SR 756	1.670
OLD SR 32	East of Williamsburg Spur	Williamsburg Corp.	0.300
Price Rd	Loveland - Miamiville Rd	McClelland Rd	2.510
Taylor Rd	Amelia -Olive Branch Rd	Clough Pike	1.200
Williamsburg Bantam Rd	Bantam Rd	Campbell Rd (north)	1.870
County Subtotal			25.408
S. High St.(in village)	Willow st.	Spring st.	0.113
OLD SR 32(in village)	County maint. line	Main st	0.360
Williamsburg Village Subtotal			0.473
Totals			25.881

Road Number:		Year:	2011	Notes	
Road Name:	<b>Blackstone Place</b>				FDR areas- 7'x46',10'x25',10'x20'and 13'x15'
Township:	<b>Miami</b>				
From:	<b>Paxton rd.</b>				
To:	<b>Dead end</b>				
Length:	<b>0.113</b> Miles	<b>600</b> Feet	<b>Cubic Yards</b>		
Width:	<b>24</b> Feet				
Depth:	<b>1.5</b> Inches				
RPM's	Y or N	<b>Total</b>	<b>66.67</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
202	Pavement planning		Sq. Yards	1600	
253	Full Depth Repair- 8"		Sq. Yards	108	
448	Asphaltic Concrete		Cubic Yards	67	
407	Tack Coat		Gallons	160	

Road Number:	<b>21</b>	Year:	2011	Notes	
Road Name:	<b>Branch Hill - Guinea Rd. (Full Dpth Rpr)</b>				Full Depth Repair Only North bound In. 1200 lf 4' wide South bound In. 3782 lf 4' wide
Township:	<b>Miami</b>				
From:	<b>SR 28</b>				
To:	<b>Little Miami River</b>				
Length:	Miles	<b>0</b> Feet	<b>Cubic Yards</b>		
Width:	<b>19</b> Feet				
Depth:	<b>1.5</b> Inches				
RPM's	Y or N	<b>Total</b>	<b>0.00</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
253	Full Depth Repair- 8"		Sq. Yards	2214	
642	Edge Line Type	198 Gallons	Mile	9.9	

Road Number:	<b>28</b>	Year:	2011	Notes	
Road Name:	<b>Charity St</b>				
Township:	<b>Tate</b>				
From:	<b>Bethel Corp Line</b>				
To:	<b>SR 133</b>				
Length:	<b>0.2</b> Miles	<b>1056</b> Feet	<b>Cubic Yards</b>		
Width:	<b>20</b> Feet				
Depth:	<b>1.5</b> Inches				
Mailboxes:	<b>7</b> Each				
Driveway Aprons:	<b>10</b> Each				
RPM's	Y or N	<b>Total</b>	<b>101.74</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
448	Asphaltic Concrete		Cubic Yards	102	
407	Tack Coat		Gallons	244	
642	Edge Line Type	8 Gallons	Mile	0.4	
642	Center Line Type	4 Gallons	Mile	0.2	

Road Number:	<b>35</b>	Year:	2011	Notes	
Road Name:	<b>Cook Rd (Full Dpth Rpr)</b>			Full Depth Repair Only	
Township:	<b>Miami</b>			<b>North bound In.</b>	2319 lf 4' wide
From:	<b>Buss. 28</b>			<b>South bound In.</b>	2800 lf 4' wide
To:	<b>Branch Hill - Guinea Rd.</b>			<b>Cubic Yards</b>	
Length:	Miles	<b>0</b>	Feet	<b>0.00</b>	
Width:	<b>20</b> Feet				
Depth:	<b>1.5</b> Inches				
RPM's	Y or N	<b>Total</b>		<b>0.00</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
253	Full Depth Repair- 8"			Sq. Yards	2275
642	Edge Line Type	76.4	Gallons	Mile	3.82

Road Number:	<b>40</b>	Year:	2011	Notes	
Road Name:	<b>Deerfield Rd</b>				
Township:	<b>Goshen/Miami</b>				
From:	<b>SR 28</b>				
To:	<b>SR 131</b>			<b>Cubic Yards</b>	
Length:	<b>3.23</b> Miles	<b>17054</b>	Feet	<b>1315.93</b>	
Width:	<b>20</b> Feet				
Depth:	<b>1.3</b> Inches				
Mailboxes:	<b>153</b> Each			<b>21.25</b>	
Driveway Aprons:	<b>196</b> Each			<b>45.60</b>	
RPM's	<b>y</b> Y or N	<b>Total</b>		<b>1382.77</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
202	RPM,s removed			Each	284
448	Asphaltic Concrete			Cubic Yards	1383
407	Tack Coat			Gallons	3982
621	RPM's installed			Each	284
642	Edge Line Type	129.2	Gallons	Mile	6.46
642	Center Line Type	64.6	Gallons	Mile	3.23
644	thermo 24 inch stop line			LF	24

Road Number:	<b>41</b>	Year:	2011	Notes	
Road Name:	<b>Dela Palma Rd</b>				
Township:	<b>Williamsburg</b>				
From:	<b>Old SR 32</b>				
To:	<b>Brown Co. Line</b>			<b>Cubic Yards</b>	8" Full depth repair x 4' wide
Length:	<b>2.315</b> Miles	<b>12223</b> Feet		<b>1244.96</b>	Northbound 2500 LF
Width:	<b>22</b> Feet				Southbound 3125 LF
Depth:	<b>1.5</b> Inches				Total 5625 LF
Mailboxes:	<b>48</b> Each			<b>8.00</b>	
Driveway Aprons:	<b>71</b> Each			<b>19.82</b>	
RPM's	<b>n</b> Y or N		<b>Total</b>	<b>1272.78</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
202	Pavement removed- butt joints& curb			Sq. Yards	500
253	Full Depth Repair- 8"			Sq. Yards	2500
448	Asphaltic Concrete			Cubic Yards	1273
407	Tack Coat			Gallons	3055
621	RPM's installed			Each	204
642	Edge Line Type	92.6	Gallons	Mile	4.63
642	Center Line Type	46.3	Gallons	Mile	2.315

Road Number:	<b>52</b>	Year:	2011	Notes	
Road Name:	<b>Fulton Grove Rd</b>				
Township:	<b>Union / Pierce</b>				
From:	<b>SR 125</b>				
To:	<b>Dead End</b>			<b>Cubic Yards</b>	
Length:	<b>1.29</b> Miles	<b>6811</b> Feet		<b>536.07</b>	
Width:	<b>17</b> Feet				
Depth:	<b>1.5</b> Inches				
Mailboxes:	<b>60</b> Each			<b>10.00</b>	
Driveway Aprons:	<b>95</b> Each			<b>26.52</b>	
RPM's	Y or N		<b>Total</b>	<b>572.59</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
448	Asphaltic Concrete			Cubic Yards	573
407	Tack Coat			Gallons	1374
621	RPM's installed			Each	113
642	Edge Line Type	51.6	Gallons	Mile	2.58
642	Center Line Type	25.8	Gallons	Mile	1.29

Road Number:	<b>57</b>	Year:	2011	Notes				
Road Name:	<b>Goshen Rd (Full Dpth Rpr)</b>			8" Full depth repair Southbound Northbound SR 28 to Woodville 1431 1556 lf Woodville to Cedarville 1210 1000 lf Cedarville to SR 131 1339 947 lf Totals 3980 3503  Total 7483 lf  Poly fill crack seal also on this area				
Township:	<b>Goshen</b>							
From:	<b>SR 28</b>							
To:	<b>SR 131</b>							
Length:	Miles	<b>0</b>	Feet				<b>0.00</b>	Cubic Yards
Width:	Feet							
Depth:	<b>1.5</b>	Inches						
RPM's	Y or N	<b>Total</b>					<b>0.00</b>	
<b>Item</b>							<b>Units</b>	<b>Field Measurements</b>
253	Full Depth Repair- 8"						Sq. Yards	3326
642	Edge Line Type		30.2	Gallons	1.51			

Road Number:	<b>136</b>	Year:	2011	Notes				
Road Name:	<b>Hunt Rd</b>							
Township:	<b>Wayne</b>							
From:	<b>SR 131</b>							
To:	<b>Marathon Edenton Rd</b>							
Length:	<b>1.72</b>	Miles	<b>9082</b>				Feet	<b>756.80</b>
Width:	<b>18</b>	Feet						
Depth:	<b>1.5</b>	Inches						
Mailboxes:	<b>27</b>	Each					<b>4.50</b>	
Driveway Aprons:	<b>50</b>	Each					<b>13.96</b>	
RPM's	Y or N	<b>Total</b>					<b>775.26</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>			
448	Asphaltic Concrete			Cubic Yards	775			
407	Tack Coat			Gallons	1861			
642	Edge Line Type		68.8	Gallons	3.44			
642	Center Line Type		34.4	Gallons	1.72			

Road Number:	<b>62</b>	Year:	2011	Notes			
Road Name:	<b>Jackson Pike</b>	Finish Poly fill from 2010 included					
Township:	<b>Stonelick / Jackson</b>						
From:	<b>SR 132</b>						
To:	<b>SR 133</b>					<b>Cubic Yards</b>	
Length:	<b>5.18</b> Miles					<b>27350</b> Feet	<b>2405.82</b>
Width:	<b>19</b> Feet						
Depth:	<b>1.5</b> Inches						
Mailboxes:	<b>121</b> Each						<b>20.17</b>
Driveway Aprons:	<b>163</b> Each						<b>45.50</b>
RPM's	<b>Y</b> Y or N					<b>Total</b>	<b>2471.49</b>
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>			
202	RPM,s removed		Each	456			
448	Asphaltic Concrete		Cubic Yards	2471			
407	Tack Coat		Gallons	5932			
621	RPM's installed		Each	456			
642	Edge Line Type	207.2	Gallons	Mile	10.36		
642	Center Line Type	103.6	Gallons	Mile	5.18		
Special	Poly crack fill		Gallons		2500		

Road Number:	<b>135</b>	Year:	2011	Notes			
Road Name:	<b>Jett Hill Rd</b>						
Township:	<b>Monroe/Ohio</b>						
From:	<b>12 Mile Rd</b>						
To:	<b>Bethel New Richmond Rd</b>					<b>Cubic Yards</b>	
Length:	<b>1.58</b> Miles					<b>8342</b> Feet	<b>675.89</b>
Width:	<b>17.5</b> Feet						
Depth:	<b>1.5</b> Inches						
Mailboxes:	<b>20</b> Each						<b>3.33</b>
Driveway Aprons:	<b>22</b> Each						<b>6.14</b>
RPM's	Y or N					<b>Total</b>	<b>685.36</b>
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>			
448	Asphaltic Concrete		Cubic Yards	685			
407	Tack Coat		Gallons	1645			
642	Edge Line Type	63.2	Gallons	Mile	3.16		

Road Number:	<b>89</b>	Year:	2011	Notes		
Road Name:	<b>Mt. Olive Pt. Isabel Rd</b>					
Township:	<b>Franklin/ Washington</b>					
From:	<b>SR 222</b>					
To:	<b>SR 133</b>					
Length:	<b>2.23</b> Miles	<b>11774</b> Feet				<b>Cubic Yards</b> <b>953.94</b>
Width:	<b>17.5</b> Feet					
Depth:	<b>1.5</b> Inches					
Mailboxes:	<b>30</b> Each					<b>5.00</b>
Driveway Aprons:	<b>60</b> Each					<b>16.75</b>
RPM's	Y or N	<b>Total</b>				<b>975.69</b>
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>		
448	Asphaltic Concrete		Cubic Yards	976		
407	Tack Coat		Gallons	2342		
642	Edge Line Type	89.2 Gallons	Mile	4.46		

Road Number:	<b>91</b>	Year:	2011	Notes		
Road Name:	<b>Neville Penn Schoolhouse Rd</b>			4335' x 4' additional pavement to old missile base		
Township:	<b>Washington/ Franklin</b>					
From:	<b>Chilo Cemetery McKendree Chapel Rd</b>					
To:	<b>SR 756</b>					
Length:	<b>1.67</b> Miles	<b>8818</b> Feet				<b>Cubic Yards</b> <b>753.84</b>
Width:	<b>16.5</b> Feet					
Depth:	<b>1.5</b> Inches					
Additonal Areas:	<b>17340.0</b> Square Feet					
Mailboxes:	<b>25</b> Each					<b>4.17</b>
Driveway Aprons:	<b>42</b> Each					<b>11.73</b>
RPM's	n Y or N	<b>Total</b>		<b>769.74</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>		
448	Asphaltic Concrete		Cubic Yards	770		
407	Tack Coat		Gallons	1847		
642	Edge Line Type	66.8 Gallons	Mile	3.34		
642	Center Line Type	16.4 Gallons	Mile	0.82		

Road Number:	<b>351</b>	Year:	2011	Notes	
Road Name:	<b>OLD SR 32</b>	45 cy of preleveling			
Township:	<b>Williamsburg</b>				
From:	<b>East of Williamsburg Spur</b>				
To:	<b>Williamsburg Corp.</b>				
Length:	<b>0.3</b> Miles	<b>1584</b>	Feet	<b>230.82</b>	<b>Cubic Yards</b>
Width:	<b>25</b> Feet				
Depth:	<b>1.5</b> Inches				
Additional Areas:	<b>10257.0</b> Square Feet	<b>47.48</b>			
	13' x 789'				
Mailboxes:	<b>3</b> Each	<b>0.50</b>			
Driveway Aprons:	<b>5</b> Each	<b>1.40</b>			
RPM's	Y or N	<b>Total</b>	<b>280.20</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
448	Asphaltic Concrete		Cubic Yards	280	
407	Tack Coat		Gallons	672	
642	Edge Line Type	12	Gallons	Mile	0.6
642	Center Line Type	6	Gallons	Mile	0.3
644	thermo	8 inch chanel lines	LF	450	
644	thermo	ARROWS	Each	2	

Road Number:	<b>76</b>	Year:	2011	Notes	
Road Name:	<b>Price Rd</b>				
Township:	<b>Miami</b>				
From:	<b>Loveland - Miamiville Rd</b>				
To:	<b>McClelland Rd</b>				
Length:	<b>2.51</b> Miles	<b>13253</b>	Feet	<b>1227.11</b>	<b>Cubic Yards</b>
Width:	<b>20</b> Feet				
Depth:	<b>1.5</b> Inches				
Mailboxes:	<b>67</b> Each	<b>11.17</b>			
Driveway Aprons:	<b>111</b> Each	<b>30.99</b>			
RPM's	<b>Y</b> Y or N	<b>Total</b>	<b>1269.27</b>		
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
202	RPM,s removed		Each	221	
448	Asphaltic Concrete		Cubic Yards	1269	
407	Tack Coat		Gallons	3046	
604	Sanitary	Manholes Adjusted (rings)	Each	3	
621	RPM's installed		Each	221	
642	Edge Line Type	100.4	Gallons	Mile	5.02
642	Center Line Type	50.2	Gallons	Mile	2.51
644	thermo	24 inch stop line	LF	14	



Road Number:	<b>122</b>	Year:	2011	Notes	
Road Name:	<b>Taylor Rd</b>				
Township:	<b>Batavia</b>				
From:	<b>Amelia -Olive Branch Rd</b>				
To:	<b>Clough Pike</b>			<b>Cubic Yards</b>	
Length:	<b>1.2</b> Miles	<b>6336</b> Feet		<b>586.67</b>	
Width:	<b>20</b> Feet				
Depth:	<b>1.5</b> Inches				
Mailboxes:	<b>30</b> Each			<b>5.00</b>	
Driveway Aprons:	<b>60</b> Each			<b>16.75</b>	
RPM's	Y or N	<b>Total</b>		<b>608.42</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
448	Asphaltic Concrete			Cubic Yards	608
407	Tack Coat			Gallons	1460
604	Sanitary Manholes Adjusted (rings)			Each	7
621	RPM's installed			Each	105
642	Edge Line Type	48	Gallons	Mile	2.4
642	Center Line Type	24	Gallons	Mile	1.2

Road Number:	<b>130</b>	Year:	2011	Notes	
Road Name:	<b>Williamsburg Bantam Rd</b>				
Township:	<b>Tate</b>				
From:	<b>Bantam Rd</b>				
To:	<b>Campbell Rd (north)</b>			<b>Cubic Yards</b>	
Length:	<b>1.87</b> Miles	<b>9874</b> Feet		<b>868.51</b>	
Width:	<b>19</b> Feet				
Depth:	<b>1.5</b> Inches				
Mailboxes:	<b>24</b> Each			<b>4.00</b>	
Driveway Aprons:	<b>35</b> Each			<b>9.77</b>	
RPM's	Y or N	<b>Total</b>		<b>882.28</b>	
<b>Item</b>				<b>Units</b>	<b>Field Measurements</b>
448	Asphaltic Concrete			Cubic Yards	882
407	Tack Coat			Gallons	2117
642	Edge Line Type	74.8	Gallons	Mile	3.74
642	Center Line Type	37.4	Gallons	Mile	1.87

Road Number:		Year:	2011	Notes	
Road Name:	<b>S. High St.(in village)</b>				Asphalt is a total of 3 inches thick and includes two separate courses, an intermediate leveling course and a final surface course.
Township:	<b>Williamsburg Village</b>				
From:	<b>Willow st.</b>				
To:	<b>Spring st.</b>	<b>Cubic Yards</b>			
Length:	<b>0.113</b> Miles	<b>600</b>	Feet	<b>105.56</b>	
Width:	<b>19</b> Feet				
Depth:	<b>3.0</b> Inches				
<b>Total</b>				<b>105.56</b>	
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
253	Full Depth Repair- 8"		Sq. Yards	265	
448	Asphaltic Concrete		Cubic Yards	106	
407	Tack Coat		Gallons	125	
604	Sanitary Manholes Adjusted (manually)		Each	2	
644	24 inch stop line		LF	24	

Road Number:	<b>351</b>	Year:	2011	Notes	
Road Name:	<b>OLD SR 32(in village)</b>				35 cy of preleveling
Township:	<b>Williamsburg</b>				
From:	<b>County maint. line</b>				
To:	<b>Main st</b>	<b>Cubic Yards</b>			
Length:	<b>0.36</b> Miles	<b>1923</b>	Feet	<b>370.30</b>	
Width:	<b>28</b> Feet				
Depth:	<b>1.5</b> Inches				
Additonal Areas:	<b>26140.0</b> Square Feet				
	20' x 1307'				
RPM's	Y or N	<b>Total</b>		<b>370.30</b>	
<b>Item</b>			<b>Units</b>	<b>Field Measurements</b>	
254	Pavement planning		Sq. Yards	8890	
253	Full Depth Repair- 8"		Sq. Yards	450	
448	Asphaltic Concrete		Cubic Yards	375	
407	Tack Coat		Gallons	900	
604	Storm Manholes Adjusted (rings)		Each	3	
604	Storm Catch basin ( manually with new grate)		Each	4	
604	Sanitary Manholes Adjusted (rings)		Each	3	
604	Sanitary Manholes Adjusted (manually)		Each	4	
644	thermo Edge Line Type	14.4	Gallons	Mile	0.72
644	thermo Center Line Type	7.2	Gallons	Mile	0.36
644	thermo 24 inch stop line			LF	35
644	thermo 8 inch chanel lines			LF	150
644	thermo 12 inch CROSSWALK			LF	500
644	thermo ARROWS			Each	2
644	thermo COMBO ARROWS			Each	2
644	thermo School zones			Each	2